

/DOOR HANDLES
/LOCKS & SECURITY SYSTEMS
/ELECTRONIC SAFES
/DOOR CONTROL SYSTEMS
/ACCESSORIES

dorsët KABA
— AN INDO SWISS JOINT VENTURE —



dorsët



Corporate Office: New Delhi



Unit I: Gurgaon



Unit II & Unit III: Haridwar



State of art Automatic Plating Facility at Unit I: Gurgaon



Established since 1995, the Group is an ISO 9001: 2008 company is a well-known name in the industry of Architectural hardware and high security locking solution for providing a complete range of products to style homes, offices, hotels, hospitals, etc. The company's motive is to provide designers & building owners with versatile collection of door-ware, locking mechanism & glass fixtures & fittings conveying contemporary aesthetics & are manufactured to technological accuracy of highest standard.

Apart from adding new segments to its existing collections, Dorset has raised its quality standards & expanded its International presence with a Joint Venture with Kaba Holdings AG of Switzerland to bring into Indian market a spectrum of Mechanical, High end Mechatronic & Access control systems for all business verticals.

Armed with technologically advanced Manufacturing facilities spanning over three units, Dorset's commitment to perfection is evident in regular innovation, clubbed with intensive cost analysis to provide sophisticated designer products at affordable prices. Dorset is a preferred supplier in the business due to its all-encompassing building products range as well as unparalleled efficiency in providing revolutionary solutions in record lead time.

Dorset building solutions include a versatile collection of Architectural Hardware - door handles in Brass, Zinc & Stainless Steel; State-of-the-art Locking systems - Mortise Locks, Night Latches, Cylindrical locks, Europrofile Cylinders; & Door hardware - Door closers, Floor springs, Glass fittings, Tower bolts, Hinges, Patch fittings. The company is one of the patrons of Swarovski crystals which are an integral part of its luxurious door handle designs & also offers customized solutions for all types of doors.

Dorset insists on rigorous craftsmanship & constant innovation, the ideologies that have been synonymous with the Brand's identity in design & manufacture of Hardware. Our efforts at Dorset remain to gratify both the aesthetic & practical requirements of the user by mastering the science & sentiment in design.



We have some of the best brains in the Industry comprising of people who are techno-commercial having a sense of business & acumen to understand the customer needs and aspirations.



Vision

**"TO BE AN ENTERPRISING, INNOVATIVE AND PROFITABLE
MAJOR SUPPLIER OF TOTAL ACCESS, PRODUCTS FOR
BUILDING AND EMPLOYER TO CREATE VALUE FOR
STAKEHOLDERS "**

Mission

**"DORSET INSIDE" WE SHALL REACH IN ALL BUILDING WITH
INNOVATIVE, VALUE - BASED AND TRUSTABLE PRODUCTS"**

THE TEAM

- All the personnel handling the business are qualified & skilled Professionals with rich 'Hands On' experience in the respective work profiles
- The Team under these HODs are professional, all cut out to give the desired results to the organization
- There are separate divisions for Channel sales, Institutional sales, Exports & profit centers for upcoming projects on Electronic Security Systems.

ESTABLISHMENT

Dorset Kaba Security Systems Pvt. Ltd. has a vast network of interrelated manufacturing units spread across Northern India including - Unit -I at Gurgaon (Haryana) in a built area of 4,000sqm.; Unit -II & III at Haridwar (Uttarakhand) in a built area of 2,500sqm & 2,700sqm; spread across a land with area of 20,000sqm.

OUR BUSINESS MANTRA


Customer First
Focus on Technology to create World Class Products
Value for Money
Continuous Improvement


DORSET GROUP FOCUS AREAS

Productivity
Quality - Design Capability & Process Improvement
Cost - Productivity & Value Engineering
Delivery - Supply Chain Management

Index

1. DOOR HANDLES	
Luxury Collection	
Lever Handles	03
Pull Handles	09
Premium Collection	
Lever Handles	15
Pull Handles	32
Standard Collection	
Lever Handles	39
Pull Handles	41
2. LOCKS & SECURITY SYSTEMS	
Main Door Lockset	47
Standard Lockset	49
Mortise Locks	54
Cylinders	56
Master key systems	57
Cylindrical Lock	58
Night Latch	58
Multipurpose Locks	59
3. ELECTRONIC SAFES	61
4. DOOR CONTROL SYSTEMS	
Door Closers	67
Floor Springs	69
Hinges	70
Tower Bolts	71
5. ACCESSORIES	71





MAIN ENTRANCE SOLUTION - OPTION 1



HANDLE : All Mortise handles in
10" plate or rosette



LOCK BODY : Mortise locks
- ML 100, ML 110, ML 111,
ML 120, ML 121



CYLINDER : Euro-Profile
Cylinder & Super Series Cylinder,
Exact Cylinder

MAIN ENTRANCE SOLUTION - OPTION 2



PULL HANDLE : Any of the plate or
Rosette models of pull handles



NIGHT LATCH : NL 500, NL
500D/ NL501, NL 501D

MAIN ENTRANCE SOLUTION - OPTION 3



HANDLE : One side Pull handle
& one side rose of same design a
Lever Handle



LOCK BODY : Mortise Locks
- ML 100 ,ML 110, ML 111 ,
ML 120 ,ML 121



EURO - PROFILE : HALF
CYLINDER : 200H , 201 H

BEDROOM DOOR SOLUTION - OPTION 1



HANDLE : All Mortise Handle in 10" Plate
& rosette



LOCK BODY : mortise locks - ML
100 , ML 110, ML 111 , ML 120,
ML 121



CYLINDER : Euro - Profile
Cylinder & super series cylinder,
Exact Cylinder

BEDROOM DOOR SOLUTION - OPTION 2



HANDLE : All Mortise handles in 8" plate



LOCK BODY : ML 170 Lock body



CYLINDER Euro -Profile cylinder & super series cylinder

BATHROOM DOOR SOLUTION - OPTION 1



'HL B' LOCKSET : 8" Handles lockset



LOCK BODY : Mortise latch ML 103

BATHROOM DOOR SOLUTION - OPTION 2



HANDLE : All Mortise handles in 10" plate & rosette



LOCK BODY : Mortise locks - ML 100 , ML 110 , ML 111, ML 120



CYLINDER : Euro - Profile Cylinder

BALCONY DOOR SOLUTION



HANDLE : All Mortise handles in 8"/10" plate



LOCK BODY : Mortise locks - ML 100 /ML 170



Euro - Profile Half Cylinder 200H, 201 H



THE LUXURY COLLECTION



SOLO



SIZE 10"



SOL OR SS



LUXE



LUX OR SS



LUX 10 SS



Abbreviations- OR:On Rose; 10:10" Plate;  Available pull handles; Finishes:NI, SS, EP, PT, SC, FG, SG. Different sizes & finishes available on request.

● ●
ELIKA



● ●
ORA





MADONNA

SIZE 10"



MARQUIS

SIZE 10"





CANARY



SIENA





SS HANDLE

SIZE 8", 10"
& 12"



SL WC SS



MAGICA



MG OR FG



RHYTHM

SIZE 10"



RHY 10 PR SS



SOLO

SIZE 10"



SO 10 PR SS



ELIKA

SIZE 8"



EK 08 PR SS



ORA

SIZE 8"



ORA 08 PR SS



MADONNA

SIZE 10"

MADE WITH
SWAROVSKI
ELEMENTS



MA 10 PR SG(AB)



MARQUIS

SIZE 10"

MADE WITH
SWAROVSKI
ELEMENTS



MR 10 PR SS



CANARY

SIZE 10"

MADE WITH
SWAROVSKI
ELEMENTS



CA 10 PR PR



SIENA

SIZE 10"

MADE WITH
SWAROVSKI
ELEMENTS



SI 10 PR PT



PICASSO

SIZE 6", 8"
& 10"

MADE WITH
SWAROVSKI
ELEMENTS



PI08 P FG



DELFINO

SIZE 8" &
10"

MADE WITH
SWAROVSKI
ELEMENTS



DE 10 PR FG



ANTIRE

SIZE 8" &
10"

MADE WITH
SWAROVSKI
ELEMENTS



AT08 PR SG



JEFFREY

SIZE 6"

MADE WITH
SWAROVSKI
ELEMENTS



JF 06 PP FG



SS ‘H’ TYPE

**SIZE 8”,
10” & 12”**



SH 10 PC SS



SS ‘T’ TYPE

**SIZE 8”,
10” & 12”**



ST 10 PC SS



CRYATAL KNOB

**SIZE 20, 30 &
40MM**



CK 20 FG





THE PREMIUM COLLECTION

CORNUS



STARK




PRESO



FAUSTA




EDGE



FORTUNA



ARIA




ARI OR SC



ARI 10 SC



ELDA




ELD OR SC



ELD 10 SC



ELIS



ELS OR SS




ELS 10 SS



Abbreviations- OR:On Rose; 10:10" Plate; : Available pull handles; Finishes:NI, SS, EP, PT, SC, FG, SG. Different sizes & finishes available on request.

PETRA




PET OR SC



PET 10 SC



MORPHOS




MOR OR SS



MOR 10 SS



TERZA




TER OR SC



TER 10 SC




GEMMA



GE OR SC



LUISA




LI OR SC



LI 10 SC

CHAIRA




CH OR SS



CH 10 SS

AMELIA




AM OR SC



AM 10 SS



VOLANTE




VO OR SS



VO 10 SS



MESSY




MEY OR SS (Brass)
MYZ OR SS (Zinc)



MEY 10 SS (Brass)
MYZ 10 SS (Zinc)



COLUMBINE




CLM OR SC



CLM 10 SC



CURA




CRA OR SS



CRA 10 SS



VERO



VRO OR SS



VRO 10 SS



TRILBY



TRI OR SS



TRI10 SC



XIA

SIZE 8" & 10"



XI OR SG



XI 10 SG



ELIXER

SIZE 8" & 10"



EL OR SC



EL 10 SC



SANA




SN OR SG



SN 10 SG



MYSTIQUE




MY OR SS



MY 10 SS



EBONY




EB OR SS




EB 10 SS




OPERA



NIKA




DOE



GALAXY

SIZE 6" & 10"




GA OR SG



GA 10 SC



BLOB




BB OR FG



MADONNA

SIZE 10"




MA OR SG




MA 10 FG




DANA



IRISH




FILA



JULIET

SIZE 10"



JL OR SC




JL 10 SC




LAMOREE



IM 10 SG




VATIKA



VT OR SS



ROMA




RO OR SS



RO 10 SS



ZENITH




ZE OR FG



ZE 10 PT



ICON




IN OR SG



IN 10 SG



OLIVE




OL OR FG



OL 10 FG



GALA




GL OR SS



GL 10 SS



MIRAGE




MI OR SC




MI 10 SC



VERSA



KNOB



EDEN

SIZE 6", 8",
10" & 12"



ED OR SS



ED 10 SS



ELMO

SIZE 6", 8",
10" & 12"



EM OR SS



EM 10 SS



FABIO

SIZE 6", 8",
10" & 12"



FB OR SS



FB 10 SS



Abbreviations- OR:On Rose; 10:10" Plate; : Available pull handles; Finishes:NI, SS, EP, PT, SC, FG, SG. Different sizes & finishes available on request.

NERO

SIZE 6", 8",
10" & 12



NE OR SS



NE 10 SS



PRIMO

SIZE 6", 8",
10" & 12



PR OR SS



PR 10 SS



ARCH

SIZE 8"



ARH 10 PR SS



CURVE

SIZE 8" & 10"



CUR 10 PGR SC
CUR 10 PWR SC



XIA

SIZE 8" & 10"

XI 10 PR SC



ELIXER

SIZE 8" & 10"

EL 08 PR SS



EL 10 PP SC



SANA

SIZE 8"

SN 08 PR SC



MYSTIQUE

SIZE 8"

MY 08 PR SG



EBONY

SIZE 8" & 10"



EB 08 PR SS



OPERA

SIZE 8"



OP 08 PR SS



NIKA

SIZE 10"



NK 10 PR SG



DOE

SIZE 10", 13"
& 16"



DOE 10 PR FG



DOE 10 PP SS



GALAXY

SIZE 6" & 10"



GA 10 PR SC



GA 10 PP FG



MADONNA

SIZE 6" & 10"



MA 10 PR SG



MA 10 PP SG



ICON

SIZE 10"

IN 10 PR SC



IN 10 PP SG



VERSA

SIZE 6", 10"
& 13"

VE 06 PR PT



VE 10 PP PT



ACE

SIZE 10" & 12"

AC 10 PR SC



ACE

SIZE 10" & 12"
FOR GLASS DOOR

AC 10 GD SC



ALINE

SIZE 16"
(ADJUSTABLE)
FOR GLASS DOOR



ALI GD SC



ZUMA

SIZE 8", 10"
& 12"

ZU 10 PR SS



ZUMA

SIZE 8", 10"
& 12"
FOR GLASS DOOR

ZU 10G PR SS



CAULLI

SIZE 10", 12"

CU 10 PR SS



ZARA

SIZE 8" & 10"

ZA 10 PR SC



ATINA

SIZE 8" & 10"

AI 10 PR SS



DELFINO

SIZE 8" & 10"

DE 10 PR FG



INSPIRE

SIZE 8" & 10"

IP 08 PR SC



ELOSIS

SIZE 8" & 10"

ES 08 PR SG



ROHO

SIZE 10"



RO 10 PR PT



MAGNUS

SIZE 10"



MG 10 PR SS



SIROCCO

SIZE 12"



SR 12 PR FG



LEEBA

SIZE 8" & 10"

LE 08 PR FG





THE STANDARD COLLECTION



‘C’ TYPE



SC OR SS

‘D’ TYPE



SD OR SS

**‘D’ TYPE
(ON PLATE)**
SIZE 175 MM
x 175MM



SD OP1 SS

**‘D’ TYPE
(ON PLATE)**
SIZE 210 MM
x 55MM



SD OP2 SS

‘L’ TYPE



SL OR SS

SLP



SLP OR SS

SO



SEP



'U' TYPE



EDEN

SIZE 6", 8",
10" & 12"



ELMO

SIZE 6", 8",
10" & 12"



FABIO

SIZE 6", 8",
10" & 12"




PRIMO

SIZE 6", 8",
10" & 12"




NERO

SIZE 6", 8",
10" & 12"



SOP

SIZE 8", 10",
& 12"



SEP TYPE

SIZE 8", 10"
& 12"



'U' TYPE

SIZE 8" & 10"
& 12"



'S' TYPE

SIZE 8", 10" & 12"



'S' TYPE
PULL HANDLE SIZE
8", 10" & 12"

AVAILABLE DIA
22MM

‘D’ TYPE

SIZE 6”, 8”, 10”,
12”, 16”,
18”, 20”, 24”,
30”, 36” & 48”



‘D’TYPE	
PULL HANDLE SIZE	AVAILABE DIA
6”, 8”, 10” & 12”	19MM & 22MM
16”, 18”, & 20”	25MM
24”, 30”, 36” & 48”	32MM

‘H’ TYPE

SIZE 8”, 10”,
12”, 14”, 16”,
18”, 24”,
30”, 36”,
& 48”




‘H’TYPE	
PULL HANDLE SIZE	AVAILABLE DIA
8”, 10” & 12”	22MM
14”, 16”, & 18”	25MM
24”, 30”, 36” & 48”	32MM

‘T’ TYPE

SIZE 8”, 10” & 12”
14”, 16” & 18”



‘T’TYPE	
PULL HANDLE SIZE	AVAILABLE DIA
8”, 10” & 12”	22MM
14”, 16” & 18”	25MM



LOCKS & SECURITY SYSTEMS



**MAINDOOR
SET**

Available Models:
Beryl, Hermes, Alya, Skat, Grus,
Aten

PULL HANDLE + MORTISE HANDLE + MORTISE LOCK (ML 111) + CYLINDER (CL 201/CL 207)



**HL
LOCKSET**

Available with handles-Hale,
Art, Inspire, Ostler, Pontus,
Twist, Cara, Badroli, Lily, Zara,
Quadra, Celio, Piera, Noha,
Ceto, Atina, Onix, Amy, Fina,
Serena, Letezia, Divine, Stella,
Cosmo, Hannah, Eden, Primo,
Elmo, Fabio, Nero, Lia, Remus

8" MORTISE HANDLE SET + MORTISE LOCK (ML 170) + CYLINDER (CL 200, CL 201, CL 202, CL 206, CL 207, CL 208)



Available without Cylinder also

**HL LEVER
LOCKSET
(KY)**

Available with handles-Hale,
Art, Inspire, Ostler, Pontus,
Twist, Cara, Badroli, Lily, Zara,
Quadra, Celio, Piera, Noha,
Ceto, Atina, Onix, Amy, Fina,
Serena, Letezia, Divine, Stella,
Cosmo, Hannah, Chord, Oblo

8" MORTISE HANDLE SET + MORTISE LOCK (KY)



**LATCHSET
(HL, ML OR)**

Available with handles-
Hale, Art, Inspire, Ostler,
Pontus, Twist, Cara, Badroli,
Lily, Zara, Quadra, Celio,
Piera, Noha, Ceto, Atina,
Onix, Amy, Fina, Serena,
Letezia, Divine, Stella, Cosmo,
Hannah, Eden, Primo, Elmo,
Fabio, Nero, Lia, Remus

MORTISE HANDLE SET (8"/OR)+ MORTISE LATCH (ML 103)



**ML
LOCKSET**

Available with handles-
Hale, Art, Inspire, Ostler,
Pontus, Twist, Cara, Badroli,
Lily, Zara, Quadra, Celio,
Piera, Noha, Ceto, Atina,
Onix, Amy, Fina, Serena,
Letezia, Divine, Stella, Cosmo,
Hannah, Lia, Remus

MORTISE HANDLE SET (10"/OR) + MORTISE LOCK (ML 110) + CYLINDER (CL 200, CL 201, CL 202, CL 206, CL 207, CL 208)



Available without Cylinder also

**SS ML
LOCKSET**

Available with handles-Eden,
Primo, Elmo, Fabio, Nero

MORTISE HANDLE SET (10"/OR) + MORTISE LOCK (ML 171) + CYLINDER (CL 200, CL 201, CL 202, CL 206, CL 207, CL 208)



Available without Cylinder also

**SS ML OR
LOCKSET**


Available with handles-
'D'Type, 'L'Type, SLP, SEP

ON ROSE MORTISE HANDLE SET + MORTISE LOCK (ML 171) + CYLINDER (CL 200, CL 201, CL 206, CL 207)



Available without Cylinder also


BERYL



MD BER 01 SC (L)




HERMES



MD HEM 01 SC (L)



ALYA



MD ALY 0 1 SC (L)



SKAT



MD SKA 01 SC (L)




GRUS



MD GRU 01 SC (L)



ATEN



MD ATE 01 SC (L)




LUKE



BIVA



VENIZA



DIVA



RENY



MONARCH



PIERA



LETIZIA



FINA



SERENA



CELIO



ART



HALE



DIVINE



CARA



LILY



PONTUS



AMY



TWIST



CETO



COSMO



ATINA



STELLA



HANNAH



ONIX



OSTLER



INSPIRE



NOHA



BADROLI



QUADRA



ZARA



EDEN



PRIMO



ELMO



FABIO



LIA



REMUS



CHORD



OBLO



ML 121



ML 100

LOCK BODY



ML 100 D

DEAD LOCK



ML 100 L

MORTISE LATCH



ML 100 P

LOCK BODY



ML 110

LOCKED BODY EC



ML 111

LOCKED BODY EC



ML 120

LOCK BODY



ML 112

DEAD LOCK EC



ML 102

DEAD LOCK



ML 103

MORTISE LATCH




ML 160

LOCK BODY EC



ML 170

LOCK BODY EPL



ML 140

LOCK BODY



ML 141

DEAD LOCK



MGL 700

CROSS KEY
DEAD LOCK



CYLINDER

Available with
'CL' Euro profile
cylinder series



CONSTRUCTION KEY

Construction key to be used by
workers during construction



Construction key stops working
when the Owner key is used first
time. Available with all cylinders in
all finishes.



CL 200

SIZE 60, 70, 80, 90 & 100 MM

CL 200 EPL



CL 201

SIZE 60, 70, 80, 90 & 100MM

CL 201 SS



CL 202

SIZE 60, 70, 80, 90 & 100 MM

CL 202 SS



CL 200 H

HALF CYLINDER
SIZE 60, 70, 80 & 100MM

CL 200H SS



CL 201 H

HALF CYLINDER
SIZE 60, 70, 80 & 100 MM

CL 201H EPL



DKQ BSK



SUPER CYLINDER
SIZE 60, 70 & 80 MM

1st TIME IN INDIA



DKS BSK SS



Four row High Security Cylinder
with International Certification.

DKQ KNK



SUPER CYLINDER
SIZE 60, 70 & 80 MM

1st TIME IN INDIA



DSK KNK SS



DEX 201

SIZE 60, 70 & 80 MM



DEX 200

SIZE 60, 70 & 80 MM



DEX 200 SS





AVAILABLE KEY SYSTEMS | Master Key (MS), Central Locking & Grand Master (GM)




MASTER KEY SYSTEM

A Master Key System is one, in which one single Master Key can open a set of cylinders made under a specific system.

APPLICATIONS

Ideal for • Office Floors with different cabin doors • Hospitals • Shopping complex utility areas • University & School.




CENTRAL LOCKING SYSTEM

A Central Locking system is a system used for common rooms/doors. e.g. Main Entrance door of an apartment

- A group of keys can operate the central cylinder
- All keys are different and they operate individual flats only

APPLICATIONS

Ideal for • Apartment/Housing complexes • Guest House • hospital floors with common & cabin areas • Banks



GRAND MASTER KEY SYSTEM

A grand master key system is a system where in a master key can open one set of cylinders assigned to a group, individual keys open different doors in the group whereas a Grand Master key opens all the cylinders made under the system.

APPLICATIONS

Ideal for • Office floors with Executive/ Office Rooms • Banks • Large Hotels • Rented Commercial spaces • Hospitals

CYLINDRICAL LOCKS



CODES | Cylindrical locks series

ET Cylindrical Lock Entrance;
PR Cylindrical Lock Privacy

Available Finishes for the Cylindrical Lock series are

Silver Satin (SS), Antique Brass (AB),
Antique Copper (AC), Polished Brass (PB),
Satin Brass (SB)
Masterkey system also available with
Cylindrical locks.

NL 500 & 500D



NIGHT LATCH
BOTH SIDE
KEY



CODES | Night Latch

(Available for Inside & Outside
opening doors)

NL 500 & NL 500D Night latch with
both side key

NL 501 & NL 501D Night latch with
key on outside and knob inside
Available in Ivory & Nickel Silver
Finish

NL 500 / NL 501 with normal key
NL 500 D/ NL 501 D with Dimple Key



NL 501 & 501D



NIGHT LATCH
ONE SIDE KEY
ONE SIDE
KNOB



SECURA



WARDROBE LOCK

Available in 25mm & 32mm

AL 400 SS



SECURA



DRAWER LOCK

Available in 20mm

AL 410 SS



SM MP 390



MULTIPURPOSE LOCK

SM MP 390



MP 330

MULTIPURPOSE LOCK

MP 330 SS



MP 360

**MULTIPURPOSE
LOCK**

Available in 22mm

MP 360 SS




MP 370

**MULTIPURPOSE
LOCK**

Available in 32mm

MP 370 SS



MP 310

ALMIRAH LOCK

MP 310 EPL



CODES	Multipurpose Locks
MP 330	Multipurpose Lock Round
MP 330 KAL	Alike in set of 10 locks
MP 360	Multipurpose Lock 22mm
MP 370	Multipurpose Lock 32mm
MP 360 KAL/	Alike in set of 10 locks.
MP 370 KAL	Alike in set of 10 locks



ELECTRONIC SAFE



ELECTRONIC SAFE

COLT

Model
No.
Colt 10
Colt 11

E-SAFE

Dimensions
(w) x (h) x (d)
310 X 200 X 200
350 X 250 X 250

Weight
(kg)
3.8
6.0



COLT 10

VAULT

Model
No.
Vault 11
Vault 44
Vault 55

E-SAFE

Dimensions
(w) x (h) x (d)
350 X 250 X 250
380 X 380 X 362
385 X 517 X 362

Weight
(kg)
10.0
17.0
21.0



VAULT 11

BOND

Model
No.
Bond 11
Bond 22

E-SAFE

Dimensions
(w) x (h) x (d)
350 X 250 X 250
450 X 200 X 380

Weight
(kg)
11.0
14.0



BOND 22

SHIELD

E-SAFE

Model No.	Dimensions (w) x (h) x (d)	Weight (kg)
Shield 10	310 X 200 X 200	7.5
Shield 11	350 X 250 X 250	11.0
Shield 22	450 X 200 X 380	13.5
Shield 44	440 X 317 X 350	17.0
Shield 55	415 X 497 X 350	22.0

SHIELD 10



MAGNUM

E-SAFE

Model No.	Dimensions (w) x (h) x (d)	Weight (kg)
Magnum 11	495 X 380 X 390	48.0
Magnum 55	460 X 600 X 470	87.0
Magnum 99	600 X 990 X 570	195.0

MAGNUM 11



BOOK SAFE

E-SAFE

Model No.	Dimensions (w) x (h) x (d)
Book 01	158 X 240 X 59

BOOK 01





DOOR CONTROL SYSTEM



DC 40 SM DOOR CLOSER



DC 40 SM



- Easy & accurate two-valve door operating speed adjustment (closing & latching speed).
- Pressure die cast body of aluminum alloy.
- Suitable for both left & right handed opening doors.
- Compact and stylish design.
- High Quality oil used to withstand extreme temperatures.
- Recommended for Door up to 40 Kg; Angle of opening up to 105°; 3,00,000 cycles Tested.

DC 60 SM DOOR CLOSER



DC 60 SM



- Easy & accurate two-valve door operating speed adjustment (closing & latching speed).
- Pressure die cast body of aluminum alloy.
- Suitable for both left & right handed opening doors.
- Compact and stylish design.
- High Quality oil used to withstand extreme temperatures.
- Recommended for Door up to 60 Kg; Angle of opening up to 105°; 1,00,000 cycles Tested.

DC 40 DOOR CLOSER



DC 40



- Easy & accurate two-valve door operating speed adjustment (closing & latching speed).
- Pressure die cast body of aluminum alloy.
- Suitable for both left & right handed opening doors.
- Compact and stylish design.
- High Quality oil used to withstand extreme temperatures.
- Recommended for Door up to 40 Kg; Angle of opening up to 180°; 1,00,000 cycles Tested.

DC 60 DOOR CLOSER

DC 60



- Easy & accurate two-valve door operating speed adjustment (closing & latching speed).
- Special o-ring design seals to avoid leakage.
- Pressure die cast body of aluminium alloy.
- High quality steel rack & pinion construction provides smooth and precise control.
- High quality oil used to withstand extreme temperatures.
- Suitable for both left & right handed opening doors.
- Recommended for Door up to 65 Kg; Angle of opening up to 180°; 5,00,000 cycles Tested.

DC 80 EXT DOOR CLOSER

DC 80 EXT



- Adjustable closing & latching speed; Adjusting valves on the front side.
- Extruded body of aluminium alloy.
- Adjusting valves on the front side.
- Suitable for both left & right handed opening doors.
- Special o-ring design seals to avoid leakage.
- High quality steel rack & pinion construction provides smooth and precise control.
- Standard body cover in sprayed finish, covering the closer body & mounting screw.
- Recommended for Door up to 80Kg; Angle of opening up to

DC 80 EXT (H)

DOOR CLOSER

DC 80 EXT (H)



- With hold open Arm, to hold the door at desired angle without stopper.
- Adjustable closing & latching speed; Adjusting valves on the front side.
- Pressure die cast body of aluminium alloy.
- Special o-ring design seals to avoid leakage.
- High Quality steel rack & pinion construction provides smooth and precise control.
- Suitable for both left and right handed opening doors.
- High Quality oil used to withstand extreme temperatures.
- Recommended for Door weight - 80 Kg; Angle of opening 180°; 5,00,000 cycles Tested

DC 80 EXT (WP)

DOOR CLOSER

DC 80 EXT (WP)



DC 65 CO

DOOR CLOSER

DC 65 CO



- Concealed Door closers fitted inside the door; In-built hold open feature.
- Adjustable closing & latching speed; High quality steel rack & pinion construction provide precise control.
- Pressure die cast body of aluminium alloy; Compact & slim body with a width of 32mm; Can be installed in either standard or the reverse mode.
- Special o-ring design seals to avoid leakage.
- Suitable for left & right handed doors; Angle of opening up to 120.
- Recommended for Door up to; 65Kg.
- 5,00,000 cycles Tested.

DC 85 CO

DOOR CLOSER

DC 85 CO



- Concealed Door closers fitted inside the door; In-built hold open feature.
- Adjustable closing & latching speed; High quality steel rack & pinion construction provide precise control.
- Pressure die cast body of aluminium alloy; Compact & slim body with a width of 32mm; Can be installed in either standard or the reverse mode.
- Special o-ring design seals to avoid leakage.
- Suitable for left & right handed doors; Angle of opening up to 120.
- Recommended for Door up to; 85 Kg
- 5,00,000 cycles Tested.

ACCESSORY

TOP PIVOT (FS-TP)

BOTTOM PIVOT (FS-BP)

FS-TP

FS-BP



- Install it on the suitable door accordingly.
- Don't turn the screw of regulating valves thoroughly out incase of oil leakage, only adjust them slightly.

FS A-85

ADJUSTABLE
FLOOR
SPRING



- Rugged construction for door weight up to 85kg.
- Closing action effective from 175°.
- Universally suitable for both single & double action doors.
- Easy adaptability to individual requirements owing to adjustable closing force & two independently adjustable closing speed valves.
- In-situ adjustment in cement box.
- Consistent closing cycle virtually unaffected by changes in temperature.
- Optical integrated fixed position hold open.
- High corrosion resistance, reduced handling weight due to aluminum body, high mechanical efficiency.
- 5,00,000 cycles Tested

Product code	Door Weight	Door Width
FS A85	20-85 kg	1000 mm

FS 100

ADJUSTABLE
FLOOR
SPRING



- Suitable for wooden, glass & aluminum doors.
- Universally suitable for both single & double action doors.
- Inbuilt hold open feature at 90°.
- Max opening angle in each direction 120°.
- Single spring action for better efficiency.
- Consistent closing cycle virtually unaffected by changes in temperature
- 5,00,000 cycles Tested

Product code	Door Weight	Door Width
FS 100	100 kg	1000 mm
FS 120	120 kg	1200 mm
FS 150	150 kg	1200 mm

FS 6080

FLOOR
SPRING
(SINGLE
CYLINDER)



- Suitable for wooden, glass & aluminum doors.
- Universally suitable for both single & double action doors.
- Inbuilt hold open feature at 90°.
- Max opening angle in each direction 120°.
- Double spring action for better efficiency.
- Consistent closing cycle virtually unaffected by changes in temperature.
- 3,00,000 cycles Tested

Product code	Door Weight	Door Width
FS 6080	80 kg	1000 mm
FS 6120	120 kg	1200 mm

FS 7085

ADJUSTABLE
FLOOR
SPRING
(SINGLE
CYLINDER)



- Suitable for wooden, glass & aluminum doors.
- Universally suitable for both single & double action doors.
- Inbuilt hold open feature at 90°.
- Max opening angle in each direction 120°.
- Single spring action.
- Consistent closing cycle virtually unaffected by changes in temperature.

Product code	Door Weight	Door Width
FS 7085	85 kg	900 mm

HINGES

RAILWAY HINGES
BRASS



SIZES	mm	in
HG 1000	76x 22x 3	3 x 0.8 x 0.11
HG 1001	76x 25x 3	3 x 1 x 0.11
HG 1003	102x 25x 3	4 x 1 x 0.11
HG 1004	102x 25x 4	4 x 1 x 0.16
HG 1005	102x 28x 3	4 x 1.1 x 0.11
HG 1006	102x 28x 4	4 x 1.1 x 0.16
HG 1009	127x 25x 3	5 x 1 x 0.11
HG 1010	127x 25x 4	5 x 1 x 0.16
HG 1011	127x 28x 3	5 x 1.1 x 0.11
HG 1012	127x 28x 4	5 x 1.1 x 0.16
HG 1016	152x 28x 4	6 x 1.1 x 0.16

Note: All Railway hinges are available in finishes Satin Brass (SB), Polished Brass (PB), Satin Silver (SS) & Patina (PT).

HINGES

TWO BALL
BEARING HINGES
(STAINLESS STEEL)



-Certified



SIZES	mm	in
HG 1150	76x 64x 2	3x 2.5x 0.07
HG 1151	102x 76x 2.5	4x 3x 0.09
HG 1152	127x 76x 2.5	5x 3x 0.09
HG 1153	102x 76x 3	4x 3x 0.11
HG 1154	127x 76x 3	5x 3x 0.11
HG 1155	127x 89x 3	5x 3.5x 0.11

Note: All Two Ball Bearing hinges are available in Satin Silver (SS) finish.

HINGES

SS TWO BALL
BEARING HINGES
(WITH SCREW)



-Certified



SIZES	mm	in
HG 1151A	102x 76x 2.5	4x 3x 0.09
HG 1152A	127x 76x 2.5	5x 3x 0.09
HG 1153A	102x 76x 3	4x 3x 0.11
HG 1154A	127x 76x 3	5x 3x 0.11


Note: All Two Ball Bearing hinges are available in Satin Silver (SS) finish.

HINGES

STEEL DOOR TWO
BALL BEARING
HINGES (STAIN
LESS STEEL)



-Certified-SS304



SIZES	mm	in
HG 1253	102 X 76 X 3	4 X 3 X 0.11
HG 1256	102 X 89 X 3	4 X 3.5 X 0.11

Note: All Steel Door hinges are available in Satin Silver (SS) finish only.

HINGES

PIN TYPE HINGES
(STAINLESS STEEL)



SIZES	mm	in
HG-2150	75x48x1.7	3x1.8x0.06
HG-2150H	75x48x2.5	3x1.8x0.09
HG-2151	100x58x1.9	4x2.3x0.06
HG-2151H	100x61x2.5	4x2.4x0.09
HG-2152	125x61x1.9	5x2.4x0.06
HG-2152H	125x65x2.5	5x2.6x0.09

TOWER
BOLT



BRASS TOWER BOLTS available sizes -

Model	Height
TB R310	3" or 75mm
TB R410	4" or 100mm
TB R610	6" or 150mm
TB R810	8" or 200mm
TB R1010	10" or 250mm
TB R1210	12" or 300mm

Note: All Tower bolts are available in SB, PB, SS, PT & FG finishes. All Dorset Tower Bolts are round shaped (dia 10mm).

TOWER
BOLT



STAINLESS STEEL TOWER BOLTS available sizes -

Model	Height
TS - 410	04" or 100mm
TS - 610	06" or 150mm
TS - 810	08" or 200mm
TS - 1010	10" or 250mm
TS - 1210	12" or 300mm
TS - 1810	18" or 450mm

DOOR
STOPPER

Wall/ Door
mounted
(22 mm)



DOOR
STOPPER

Wall/ Door
mounted



DOOR
STOPPER

Floor mounted



DOOR
STOPPER

Hanging Type



DOOR STOPPER

Door mounted



DSSA (S)

DOOR STOPPER

Door mounted



DSSA (B)

DOOR STOPPER

Wall/Door mounted



DBRB-B

DB PVC - W

DOOR STOPPER

Magnetic Door Catcher



MDC SS

ACCESSORY

Double door attachment for Mortise lock - Brass (DDML)



ACCESSORY

Double door attachment for Dead lock - SS (DDDL)



INDICATOR BOLT



IB 390

DOOR CHAIN



DSC (M)

DOOR GUARD

Door Gaurd Buckle Type



DGBT

BABY LATCH

MODEL CODE SIZE
BL (S) - 3"
BL (B) - 5"



DOOR LATCH (BL)

EYE VIEWER



MEF (S)

ME (B)

Abbreviations - TB: Tower Bolt; Finishe-NI, SS, EP, PT, SC, FG, SG. Different sizes & finishes available on request.



PALM DRIVE, GURGAON



VICTORY VALLEY, GURGAON



PALM HILLS, GURGAON



O.P. JINDAL GLOBAL UNIVERSITY, SONEPAT



GRAND ARCH, GURGAON



AWHO, BANGALORE



PARK AVENUE, CHENNAI



RAISENA RESIDENCY, GURGAON

CLIENTS - INDIA

For complete list of clients and additional references please visit www.nobletraders.in

CODING | Lever Handles

MA - OR - FG

HANDLE DESIGN

Eg: SA - Sana

HANDLE TYPOLOGY

OR Lever on Estucheon (with Euro profile)

08 Lever on 8" Plate with key profile/Euro Profile

10 Lever on 10" Plate with Euro profile

RK Round Knob on Estucheon (with Euro profile)

FINISH CODE

NI Bright Nickel WD Wood Finish

SS Silver Satin FG Full Gold

EP Lacquered Brass SC Silver Chrome

PT Patina SG Silver Gold

PB Polish Brass SB Satin Brass

AC Antique Copper AB Antique Brass

NS Nickel Silver IV Ivory

FCH Full Chrome

CODING | Pull Handles

MI - 10 - PR - SG

HANDLE DESIGN

Eg: SA Sana

HANDLE SIZE

Eg: 08 Size 8"

10 Size 10"

12 Size 12"

MOUNTING TYPE

PR Pull Handle on Estucheon/ Rose

PP Pull Handle on Plate

P Pull Handle

PH Single Pull Handle

FINISH CODE

FCH Full Chrome SS Silver Satin

FG Full Gold EP Lacquered Brass

SC Silver Chrome PT Patina

SG Silver Gold

Euro Profile Brass Cylinder (both side key)	CL 200	CL 206	CL 203	CL 214	CL 211
Euro Profile Brass Cylinder (one side knob & one side key)	CL 201	CL 207	CL 204	CL 215	CL 212
Euro Profile Brass cylinder (one side knob & emergency opening)	CL 202	CL 208	CL 205	CL 216	CL 213

Master key & Grand Master key available on request.
Finishes --Bright Nickel (NI), Silver Satin (SS), Patina (PT), Full Gold (FG), Lacquered Brass (EP).

 EPL

 Silver Gold

 Satin Silver

 Patina

 Silver Chrome

 Full Gold



OUR QUALITY STANDARDS

- Certified Quality System as per ISO9001-2008
- Follow best quality practices like 5S, TQM, Kaizen & Poka Yoke
- In house Product Reliability Testing Facility like:

1. Solvent resistance (Double rubs acetone test)	1000+
2. Pencil hardness (Gauge method load on Pencil approx 2000 gm)	4 H+
3. Corrosion resistance (polished brass) (Natural salt spray test as per ASTM B117)	500Hrs.
4. Abrasion resistance litres sand (as per ASTM D968 using Ottawa sand)	18+ (litres sand)
5. UV Light Resistance Dyed "Brass" (Using UV B313 tubes 2 hours UV at 60 deg. C) Colour ΔE change (CIELAB)	Less than ΔE 2.0 at 500 Hrs.
6. Sweat Resistance cycle (ANS/BHMA test USA specification)	6 Pass
7. Corrosion resistance (Zinc die cast) hours	240+
- In house Environmental Test Facility
- Salt Spray Chamber
- Endurance Rigs
- Available Facilities for Ottawa sand, load atmospheric conditions etc.

PRODUCT CERTIFICATION

ISO 9001:2008 Certified Company
Certification No. 9910001125



NOBLE TRADERS

Corporate Office :
Plot No. 56/P, Kalpana Housing Society, Chintal, Quthbullapur, Hyderabad - 500054.
Phone: +91-9966747318 Email: sales@nobletraders.in
Website: www.nobletraders.in